Sectional Docks

Features & Specifications



Aluminum Sectional Docks Are Ideal

If your dock stays in year-round, you have terrain not suited for a roll-in dock, or you need to stack sections in minimal space during the off-season – FLOE's sectional docks are an ideal solution. They provide gorgeous shore appeal and install quickly and easily while providing an exceptional value.

Easy-Level[™] Leg Sizing

Leg size	Water & mud depth w/wheels	Total travel
Extra Shallow	8"-22"	14"
Shallow	18"-38"	20"
Medium	26"-54"	28"
Deep	42"-82"	40"

Leg kit measurements are calculated with the top of the dock 17" out of the water. If you plan to set the dock higher or lower, add/subtract that amount to/from the depth measurement.

Dock leg bracket are also available to use with traditional pipe on sectional docks in place of leg kits.

Lightweight for Easy Mobility

Standard dock	Quick-Attach™ dock
8 ft. 97 lbs.	8 ft. 107 lbs.
10 ft. 120 lbs.	10 ft. 129 lbs.
12 ft. 143 lbs.	12 ft. 152 lbs.

Dock Components & Sizes

All sections work for main walkways, sundecks, slips, and shore-end ramps.

DOCK SECTIONS	4'X8', 4'X10', 4'X12'
WEDGES	



FLOE's Easy-Level[™] System Effortlessly level each dock section independently from the top with a cordless drill.

Quick-AttachTM PATENT PENDING

Quick-Connect[™] System

Dock sections quickly link together for a straight out dock or to make a custom configuration. Eliminates the process of hard bolting. Individual sections can be moved independently to make installation and removal easy.



Sectional docks are available in standard and Quick-Attach[™] models. The Quick-Attach[™] system allows for fast installation of accessories and Quick-Connects[™].



Easily attach accessories in the track. Quick Attach[™] brackets must be purchased to attach accessories.

Stacks in minimal space.



Dock Layouts

Modular design lets you create your dream dock.

FLOE's modular engineering lets you configure sections and components where and when you want them, without any welding and drilling. The result is a custom dock without the custom cost.

Decking Choices



Aluminum



Cedar



Aluma-Grain™

16



LAYOUT SAMPLES

dock system.

Shown here are just a fraction of the systems

components. See your FLOE dealer or use our

Design-a-Dock[™] program to create the perfect

that you can create with FLOE's modular



ROLL-IN DOCKS



FLOATING DOCKS



RAMPSWEDGES & SUNDECKS12' shore-end ramps are availableOther standard floatingin 3', 4', 5' & 6' widths. 9' ramps aredock components include8' wide. Truss style ramps are alsoao'' & 48'' wedges andavailable for floating docks.8'x8' decks.

SECTIONAL DOCKS





DOCK SECTIONS

FLOE floating dock sections are available in the following lengths: 16', 20' & 24'. Each of these lengths is available in the following widths: 3', 4', 5', 6' & 8'.

See your dealer or use our interactive Design-A-Dock™ program at **floeintl.com** to create the perfect dock system.



Dock Accessories



Lake Accessory Rack - 2 Tier

- 35 lb. weight capacity per arm.
- Adjustable.
- Add-on arms available.



Lake Accessory Rack - Single • 35 lb. weight max. per arm.



Aluminum Bench with Arm Rests & Cupholders Available in grey or Aluma-Grain[™].



Flag Pole Telescoping flag pole augers to lake bottom.



Canoe/Kayak Rack Roll-in docks only. Maximum weight 250 lbs.



Furniture

Three-piece set includes two chairs and a table. **Umbrella sold separately.**



Dock Steps 4-step, 6-step or 8-step for varying water depths. Not Available on Floating Docks.









Corner Bumpers Horizontal & vertical styles.



Swim Ladder 58" and 70"

Bumper Edging Two sets of 10' edging with rivets.

For detailed descriptions and videos, visit our website at www.floeintl.com/docks/dock-accessories 18